

## Safe Medication Storage and Disposal

### Pre-Test:

1. An anti-drug coalition is a formal arrangement for collaboration among different sectors of a community.
  - a. True
  - b. False
2. Who is affected by substance abuse and addiction?
  - a. Individuals
  - b. Families
  - c. Communities
  - d. All of the above
3. The hallmark of \_\_\_\_\_ is cravings.
  - a. Dependence
  - b. Withdrawal
  - c. Addiction
  - d. Recovery
4. Addiction is not a brain disease.
  - a. True
  - b. False
5. \_\_\_\_\_ lifetime experiences can increase the risk of opioid addiction.
  - a. Traumatic
  - b. Enjoyable
  - c. Spiritual
  - d. Humbling
6. Medications prescribed for pets are not a source of medication abuse.
  - a. True
  - b. False
7. During medication drop off events, approximately \_\_\_\_\_ of what is brought are controlled substances.
  - a. 70-75%
  - b. 8-10%
  - c. 30-35%
  - d. 50-53%
8. The National Safety Council suggest alternating acetaminophen and ibuprofen can be just as effective as using opioids.
  - a. True
  - b. False

Pre-Test Answers:

1. A - True
2. D - All of the above
3. C - Addiction
4. B - False
5. A - Traumatic
6. B - False
7. B - 8-10%
8. A - True

## Safe Medication Storage and Disposal

### Post-Test:

1. Similar to other diseases, addiction is:
  - a. Preventable
  - b. Treatable
  - c. if untreated, can last a lifetime
  - d. All of the above
2. While 75% of high school seniors perceive heroin use as dangerous, only \_\_\_\_\_ perceive the use of prescription opioids as dangerous.
  - a. 10%
  - b. 40%
  - c. 60%
  - d. 25%
3. Intergenerational patterns, diversion of medications, and the lack of education by prescribers all contribute to the problem of substance misuse.
  - a. True
  - b. False
4. \_\_\_\_\_ of youth have their first introduction to prescription medication through their own home.
  - a. 15%
  - b. 90%
  - c. 50%
  - d. 75%
5. Most cases of neonatal abstinence syndrome (NAS) are due to:
  - a. Overprescribing
  - b. Medication Assisted Treatment
  - c. Delivery complications
  - d. Lack of prenatal care
6. Since 2015, cases of NAS, reported by the Tennessee Department of Health, have increased.
  - a. True
  - b. False
7. List the components of CLD.
8. On average, \_\_\_\_\_ of those who participate in medication drop off events bring at least one item that is controlled.
  - a. 50%
  - b. 75%
  - c. 25%
  - d. 90%

Post Test Answers:

1. D - all of the above
2. B - 40%
3. A - True
4. D - 75%
5. B - Medication Assisted Therapy
6. B - False
7. **C**ount it, **L**ock it, **D**rop it
8. A - 50%